




新商品





— Mega Pixel Lens

メガピクセルレンズ

フォト	型番	焦点距離	F 値	センサ対角寸法	視野角
	NL306MP835F 1.3Mega Pixel	3.0mm	2.2	1/2.7"	139°
	NL196M835F 2Mega Pixel	1.9mm	2.5	1/4"	137°
	NL2811MGAV 1.3Mega Pixel	3.0mm	1.2~360	1/3"	133.7° ~35.6°




— Board Lens

ボードレンズ

フォト	型番	焦点距離	F 値	センサ対角寸法	視野角
	NL226SF	2.2mm	2.4	1/3"	168°
	NL245M835F	2.4mm	1.9	1/3.5"	146°
	NL254SF Day&Night	2.5mm	2.0	1/4"	120°
	NL274LDF Ultra Low Distortion (TV -3%)	2.7mm	2.8	1/4"	90°


■ Lens for Car Rear view System 車載リアビューシステム用レンズ

フォト	型番	焦点距離	F 値	センサ対角寸法	視野角
	NL146N	1.4mm	2.5	1/4"	190°
	NL1566DTF	1.56mm	2.5	1/4"	175° TTL : 12.01mm
	NL1796DTF	1.79mm	2.5	1/4"	175°
	NL1566QM85 F	1.56mm	2.5	1/4"	175° TTL : 12.01mm
	NL1706QM85 F	1.7mm	2.5	1/4"	147° TTL : 12.26mm
	NL205SF-C	2.0mm	2.2	1/4"	148°
	NL1876M835 F	1.87mm	2.5	1/4"	140° TTL : 12.21mm
	NL2196M835 F	2.19mm	2.5	1/4"	121° TTL : 12.62mm
	NL2795M835 F	2.79mm	2.5	1/4"	108° TTL : 12.2mm

	NL266MCF	2.6mm	2.0	1/3"	160°
	NL2456SF	2.45mm	2.0	1/3"	160°
	NL295SF	2.9mm	2.0	1/3"	130°

Lens for Security Camera 防犯カメラ用レンズ

フォト	型番	焦点距離	F 値	センサ対角寸法	視野角
	NL304MCF	3.0mm	2.0	1/3"	120°
	NL325SF	3.2mm	2.0	1/4"	90°
	NL364N	3.6mm	2.0	1/3"	92°
	NL36415NF	3.6mm	1.5	1/3"	108°
	NL434N	4.3mm	2.0	1/3"	78°

	NL604Q	6.0mm	2.0	1/3"	54°
	NL804N	8.0mm	2.0	1/3"	40°
	NL1203N	12.0mm	2.0	1/3"	28°

PIN HOLE LENS

ピンホールレンズ

フォト	型番	焦点距離	F 値	センサ対角寸法	視野角
	NL371S	3.7mm	3.5	1/3"	92°
	NL383SF	3.8mm	2.0	1/3"	92°
	NL384SF	3.8mm	2.0	1/3"	92°
	NL384SJ2	3.8mm	2.0	1/3"	92°
	NL444VF	4.4mm	2.0	1/3"	73°

 Lens for PC Camera

PCカメラ用レンズ

フォト	型番	焦点距離	F 値	センサ対角寸法	視野角
	NL454PW	4.5mm	2.8	1/4"	53°
	NL5581PW	5.58mm	2.8	1/4"	52°

 Vari Focal Lens

可変焦点レンズ

フォト	型番	焦点距離	F 値	センサ対角寸法	視野角
	NL4090AV	4.0~9.0mm	1.6	1/3"	92.6~32.4°
	NL2810AV	2.8~10.0mm	1.4	1/3"	133.2~34.7°

ナオテック社（韓国：<http://www.naotech.co.kr/>）の製品に関する国内でお問合せ先；



株式会社エム・ティー・エム

本社 〒102-0072

東京都千代田区飯田橋 1-12-14 宮島ビル

Tel: 03-3262-5269

Fax: 03-3262-5880

e-mail: sales@technolink.co.jp

URL: <http://www.technolink.co.jp/>

